

P1

Abstract withdrawn

P2

The assessment of bone regulatory pathways in children with malignant bone tumors
Jadwiga Ambroszkiewicz (Warsaw, Poland)

P3

PHEX, DMP1 and FGF23 mutations in a Malaysian hypophosphatemic rickets patient
Thilakavathy Karuppiah (UPM Serdang, Malaysia)

P4

Bone turnover markers and bone mineral density after 12-month weight loss therapy in obese children
Joanna Gajewska (Warsaw, Poland)

P5

Vitamin D and decreased bone density in children
Antonio Bazarra-Fernandez (Culleredo, Spain)

P6

Bisphosphonate treatment of melorheostosis: A case report
Aysehan Akinci (Malatya, Turkey)

P7

History of meconium ileus affects bone health and body composition in young patients with cystic fibrosis
Artemis Doulgeraki (Athens, Greece)

P8

Body composition profile of patients with Duchenne muscular dystrophy living in a country with the obesity epidemic
Artemis Doulgeraki (Athens, Greece)

P9

Vitamin D supplementation can improve velocity of growth in children with vitamin D deficiency which are in treatment with RHGH for growth hormone deficiency
Corina Galesanu (Iasi, Romania)

P10

Infantile Blount's disease: histopathologic changes in the proximal tibial metaphysis: Comparison between medial and lateral specimens
Freek Hollman (Maastricht, Netherlands)

P11

Effects of bisphosphonate for the development of scoliosis in children with osteogenesis imperfecta
Masafumi Kashii (Osaka, Japan)

P12

Elevated plasma c-terminal fibroblast growth factor (cFGF23), but not intact FGF23 (iFGF23) or soluble Klotho (sKl), is associated with left ventricular hypertrophy in pediatric chronic hemodialysis patients
Shweta Shah (Houston, USA)

P13

Galactosyltransferase-1 deficiency: a novel cause of bone fragility due to impaired proteoglycan synthesis
Rebecca Moon (Southampton, UK)

P14

Accuracy of parental recall of children's lifetime fracture prevalence: implications for investigation of childhood osteoporosis

Rebecca Moon (Southampton, UK)

P15

Fibrous dysplasia in McCune Albright Syndrome; treatment and follow up

Sukran Darcan (Izmir, Turkey)

P16

Genotype in patients with osteogenesis imperfecta using a targeted exome sequencing: correlation with phenotype

Takuo Kubota (Suita, Japan)

P17

MRI features as surrogate markers of X-linked hypophosphatemic rickets activity

Agnès Linglart (Le Kremlin Bicêtre, France)

P18

A novel mutation in *CYP24A1* gene in an infant with severe hypercalcemia and unique neurological presentation

Yael Levy-Shraga (Ramat Gan, Israel)

P19

The role of body composition in the relationship between lifestyle factors and bone parameters of young children

Kate Ward (Cambridge, UK)

P20

Bone mineral density in patients with autosomal recessive osteopetrosis after hematopoietic cell transplantation

Anna Petryk (Minneapolis, USA)

P21

Efficacy of growth hormone therapy in short patients affected hypochondroplasia

Yukako Nakano (Osaka, Japan)

P22

Racing to better bone health! A 6-month calcium and vitamin D randomised controlled trial in young male jockeys

Leslie Silk (Strathfield, Australia)

P23

Relationship of Insulin like Growth Factor 1 and bone parameters in 7 to 16 year old apparently healthy Indian children

Neha Kajale (Pune, India)

P24

Bone status of Indian children and adolescents with type 1 diabetes mellitus

Rubina Mandlik (Pune, India)

P25

Sitting time has a stronger effect on bone than moderate plus vigorous activity

Teresa Binkley (Brookings, USA)

P26

Effects of running bike use on bone quality in non-ambulant children with cerebral palsy: a pilot study

Elizabeth Bryant (Lewes, UK)

P27

Bone mineral density and clinical outcome after intravenous bisphosphonate discontinuation in children with osteogenesis imperfecta
Sasigarn Bowden (Columbus, USA)

P28

Year-round cord blood vitamin D concentrations in women from diverse ethnical backgrounds in a Mediterranean area in Spain
Miguel Angel Guagnelli (Barcelona, Spain)

P29

Type 1 diabetes mellitus may predispose to lower bone mineral density through lower osteoblast signaling from increased levels of Dickkopf-1
Artemis Doulgeraki (Athens, Greece)

P30

Whole-body MR imaging as diagnostic tool in children with Hereditary Multiple Osteochondromas
Heleen Staal (Maastricht, Netherlands)

P31

Mineral metabolism in children with autosomal dominant polycystic kidney disease
Stéphanie De Rechter (Leuven, Belgium)

P32

Characteristics of Malawian children undergoing corrective bone surgeries of rickets-like lower limb deformities
Vickie Braithwaite (Cambridge, UK)

P33

In utero effects of iron status on infant fibroblast growth factor-23 and mineral metabolism
Vickie Braithwaite (Cambridge, UK)

P34

Abstract withdrawn

P35

Spinal muscular atrophy: another non-ambulatory population at risk for low bone mineral density
Heidi Kecskemethy (Wilmington, USA)

P36

Bone mineral density, pubertal status and ability to walk are associated to fracture incidence in patients with Rett syndrome
Agnès Linglart (Paris, France)

P37

Teriparatide following bisphosphonates in the treatment of osteoporosis in post-pubertal teenagers
Uri Alon (Kansas City, USA)

P38

Serum 25-vitamin D level is lower in African American compared to Caucasian children
Uri Alon (Kansas City, USA)

P39

Fracture and bone mineral density outcomes after bisphosphonate discontinuation in children with osteogenesis imperfecta treated with zoledronic acid compared to pamidronate
Sasigarn Bowden (Columbus, USA)

P40

Painful hip in 19-months old represents an intertrochanteric fracture following a low energy injury
Peter Peev (London, UK)

P41

Percutaneously performed image-guided radiofrequency ablation for the treatment of a unifocal eosinophilic granuloma of the femur in a 16-year-old boy
Kyriakos Papavasiliou (Thessaloniki, Greece)

P42

Levels of vitamin D according to severity of motor function disorder and the level of bone mineral density in children with cerebral palsy
Jelena Zvekic-Svorcan (Novi Sad, Serbia)

P43

Effect of nutritional status on bone density in children with cerebral palsy
Rastislava Krasnik (Novi Sad, Serbia)

P44

Closed image-guided Vs. open biopsies in children with bone lesions. A retrospective review of 112 biopsies performed on 104 patients
Kyriakos Papavasiliou (Thessaloniki, Greece)

P45

Skeletal dysplasia with short stature and a Larsen-like phenotype due to a homozygous mutation in B3GAT3
Elisabeth Steichen-Gersdorf (Innsbruck, Austria)

P46

Evaluation of the use of a Dynamic Elastomeric Fabric Orthosis (DEFO) to improve truncal stability in a young child with osteogenesis imperfecta
Karen Edwards (London, UK)

P47

Ethnic and gender differences in metacarpal dimensions in black and white South African children from pre-puberty through adolescence
Ansyah Magan (Johannesburg, South Africa)

P48

Bone mineral density, vertebral compression fractures and pubertal delay in patients with autosomal recessive epidermolysis bullosa
Moira Cheung (London, UK)

P49

Using high-resolution peripheral quantitative computed tomography (HRpQCT) to better understand the skeletal response to exercise
Lauren Edwards (Sheffield, UK)

P50

"Double Trouble": Duchenne muscular dystrophy and osteogenesis imperfecta in one patient - a case report
Milan Bayer (Hradec Králové, Czech Republic)

P51

Abstract withdrawn

P52

Association of dietary calcium intake and body fat with hypertension in Indian adolescents
Neha Kajale (Pune, India)

P53

Somatic COL1A1 mosaicism in a newborn with osteogenesis imperfecta
Eva González-Roca (Barcelona, Spain)

P54

Vitamin D overdose: Poor dosage guidelines for babies?
Daniela Peeva (London, UK)

P55

Abstract withdrawn

P56

Abnormal functional responses of osteoblasts to leptin in adolescent idiopathic scoliosis
Elisa Man Shan Tam (Hong Kong, Hong Kong)

P57

Fractures in infants - A population-based study over 15 years in Helsinki, Finland
Hilkka Ryhänen (Turku, Finland)

P58

Music therapy as an avenue to promote healthy eating, exercise and bone health in children
Jasminka Z. Ilich (Tallahassee, USA)

P59

Vibration treatment can enhance the bioactive response of Osteoblasts to Vitamin D in Adolescent Idiopathic Scoliosis (AIS) patients
Tsz Ping Lam (Hong Kong, Hong Kong)

P60

Comparing two scanning protocols for high-resolution peripheral quantitative computed tomography for bone quality assessment in young subjects
Ka Yee Cheuk (Hong Kong, Hong Kong)

P61

Association of vitamin D concentrations with 7-Dehydrocholesterol Reductase in school children in a sun-rich, semi-rural setting in Western Maharashtra, India
Rubina Mandlik (Pune, India)

P62

Association of dental and skeletal fluorosis with calcium intake and vitamin D concentrations in adolescents from a region endemic for fluorosis
Neha Kajale (Pune, India)

P63

Dietary calcium intake influences the relationship between serum 25 hydroxyvitamin D(25OHD) concentrations and Parathyroid hormone(PTH)
Rubina Mandlik (Pune, India)

P64

Peripubertal bone quality and density profile of Chinese adolescents in Hong Kong
Ka Yee Cheuk (Hong Kong, Hong Kong)

P65

Results of a specialized rehabilitation approach in Osteogenesis imperfecta
Oliver Semler (Cologne, Germany)

P66

Challenges in the management of hip dislocation a patient with Prader Willi syndrome
Ayse Nurcan Cebeci (İstanbul, Turkey)

P67

McCune-Albright Syndrome in three patients, clinical correlation and spectrum of the disease
Juan Lammoglia (Bogota, Colombia)

P68

Body composition and vertebral changes in children with osteogenesis imperfecta - effect of risedronate
Nick Bishop (Sheffield, UK)

P69

A pilot study to evaluate the effectiveness of a group circuit therapy programme for children with Osteogenesis Imperfecta
Deirdre Pullen (Bristol, UK)

P70

Ultrasonographic assessment of the skeletal development of the proximal tibia epiphysis, the proximal femur and the distal femur epiphysis in premature and mature newborns
Michael Pommerenke (Weissenfels, Germany)

P71

Muscle and bone impairment in children with Marfan syndrome: correlation with age and FBN1 genotype
Thomas Edouard (Toulouse, France)

P72

Vitamin D status in young women with anorexia nervosa during intensive weight gain therapy
Anna Svedlund (Gothenburg, Sweden)

P73

Long-term outcomes of surgical treatment for craniofacial fibrous dysplasia
Alison Boyce (Bethesda, USA)

P74

A case of resistant hypophosphataemic rickets
Olumoyin Awogbemi (Liverpool, UK)

P75

To predict curve progression in newly diagnosed AIS girls - How good can Bone Mineral Density (BMD) do?
Elisa Man Shan Tam (Hong Kong, Hong Kong)

P76

Bone quality in severe adolescent idiopathic scoliosis (AIS) - quantitative computed tomography (QCT) of lumbar spine vs high-resolution peripheral quantitative computed tomography (HR-pQCT) of the distal radius: a pilot study
Elisa Man Shan Tam (Hong Kong, Hong Kong)

P77

Vertebral fractures in children affected by chronic recurrent multifocal osteomyelitis: case reports and therapy response
Silvia Vai (Milan, Italy)

P78

Bone metabolism in children and adolescents with newly diagnosed acute lymphoblastic leukemia
Silvia Vai (Milan, Italy)

P79

Nonbacterial osteitis: Is there any mismatch in the pathophysiology of osteoblasts or osteoclasts?
Delila Singh (Munich, Germany)

P80

Ibandronate in the treatment of pediatric osteoporosis
Stepan Kutilek (Klatovy, Czech Republic)

P81

Liver growth hormone receptor signaling in chronic kidney disease related growth retardation: the role of suppressor of cytokine signaling 2
Rawan Abu Hilal (Beer-Sheva, Israel)

P82

Relationships among 25-hydroxyvitamin D, Parathyroid Hormone, and Bone Turnover Markers in Chinese Children
Xiao Han (Shijiazhuang, China)

P83

RANKL, OPG, Dkk1 in Duchenne muscular dystrophy
Francesca Broggi (Milan, Italy)

P84

Different causes of infantile hypercalcemia
Stepan Kutilek (Klatovy, Czech Republic)

P85

Comparison of three detection assays of serum 25(OH) D
Shanshan Wu (Shijiazhuang, China)

P86

Caries intensity and bone mineral density in children living in fluorine deficient region
Vladyslav Povoroznyuk (Kyiv, Ukraine)

P87

Influence of vitamin D deficiency on the bone mineral density in schoolchildren
Vladyslav Povoroznyuk (Kyiv, Ukraine)

P88

Vitamin D and bone health: A practical clinical guideline for management in children and young people in the UK
Anne Thurston (Camerton, UK)

P89

Bone mineral density in solid cancer survivors: a cross sectional long-term follow-up study. A preliminary report
Eryk Latoch (Bialystok, Poland)

P90

Longitudinal bone development in patients with classical congenital adrenal hyperplasia: data using peripheral quantitative computed tomography
Susanne Bechtold (Munich, Germany)

P91

Changes in the concentration of vitamin D in the course of intensive treatment of acute lymphoblastic leukemia. A preliminary data.
Katarzyna Muszynska-Roslan (Bialystok, Poland)

P92

Risedronate in the treatment of children with osteogenesis imperfecta: retrospective review of practice and outcomes at a large paediatric metabolic bone unit
Neil Lawrence (Sheffield, UK)

P93

Improving low bone mass in girls with adolescent idiopathic scoliosis (AIS) using calcium and vitamin D supplementation - a randomized controlled trial
Tsz Ping Lam (Hong Kong, Hong Kong)

P94

Effects of different socioeconomic conditions on bone mineral density in healthy Turkish female university students; relation with vitamin D status
Betül Ersoy (Manisa, Turkey)

P95

Osteomyelitis and septic arthritis in children: first data from the EUCLIDS network
Werner Zenz (Graz, Austria)

P96

Bone health among boys with Duchenne muscular dystrophy before initiation of glucocorticoids
Joanna Yuet-ling Tung (Hong Kong, Hong Kong)

P97

Dysosteosclerosis from a unique mutation in SLC29A3
Serap Turan (Istanbul, Turkey)

P98

Clinical predictors of low bone mineral density in children with juvenile idiopathic arthritis
Mikhail Kostik (Saint-Petersburg, Russia)

P99

The role of vitamin D in growth physiology in early-aged and preschool children
Larisa Scheplyagina (Saint-Petersburg, Russia)

P100

Secondary osteoporosis in boys with Alagille syndrome. Case report.
Elżbieta Jakubowska-Pietkiewicz (Lodz, Poland)

P101

X-linked spinal muscular atrophy (SMAX2) caused by de novo c.1731C>T substitution in the UBA1 gene
Elżbieta Jakubowska-Pietkiewicz (Lodz, Poland)

P102

Bone robusticity in two distinct skeletal dysplasias: an evaluation of the second metacarpal, a surrogate for bone strength
Cathleen Raggio (New York, USA)

P103

Gait assessment in children with childhood hypophosphatasia: impairments in muscle strength and physical function
Dawn Phillips (Chapel Hill, USA)

P104

Effect of intravenous pamidronate in the treatment of skin calcinosis in the course of juvenile dermatomyositis - a story half-told
Pawel Abramowicz (Bialystok, Poland)

P105

Refractory hypercalcaemia of malignancy: responsiveness to Denosumab and Zoledronate
Dinesh Giri (Liverpool, UK)

P106

Metatropic dysplasia is associated with increased fracture risk and increased markers of bone turnover

Michael Bober (Wilmington, USA)

P107

Bone mineral density in Pelizaeus Merzbacher disease

Heidi Kecskemethy (Wilmington, USA)

P108

Unique occurrence of long bone fragility with cranial hyperostosis: Searching for the genetic culprit

Adalbert Raimann (Vienna, Austria)

P109

Effects of inorganic phosphate and FGF23 on C2C12 myoblast cells

Adalbert Raimann (Vienna, Austria)

P110

Abstract withdrawn

P111

Is groupwork an effective way to improve transition for young people with Osteogenesis Imperfecta? A pilot study.

Suzanne Ball (Birmingham, UK)

P112

Type V osteogenesis imperfecta: confirmation of highly characteristic radiographic findings in early infancy

Paul Arundel (Sheffield, UK)

P113

Comparison of cost benefits and efficacy of Zoledronic acid and Pamidronate in the treatment of osteogenesis imperfecta in children

Vrinda Saraff (Birmingham, UK)

P114

Influence of pubertal development and body composition on bone mass accrual in apparently healthy school children aged 6-17 years

Aashima Dabas (New Delhi, India)

P115

Vitamin D and bone mineral density in children with Duchenne muscular dystrophy relation to fractures and ambulation status

Jason Buckner (Columbus, USA)

P116

Osteopetrosis with uncommon final height: can only local IGF-I hold normal growth during pubertal spurt?

Soraya Sader Milani (Ribeirao Preto, Brazil)

P117

Familial hypocalciuric hypercalcemia in two Chinese families - common and uncommon features

Lai-Ka Lee (Hong Kong, Hong Kong)

P118

Changes in total body and regional bone mass in relation to body composition in children with osteogenesis imperfecta treated with pamidronate

Jaya Sujatha Gopal-Kothandapani (Sheffield, UK)

P119

Burden of disease in children with hypophosphatasia: results from patient-reported surveys
Eileen Sawyer (Cheshire, USA)

P120

Fracture incidence and bisphosphonate therapy in boys with Duchenne Muscular Dystrophy
Nicola Crabtree (Birmingham, UK)

P121

A case of osteogenesis imperfecta mimicking the features of mucopolysaccharidosis IVA
Gul Yesiltepe Mutlu (Istanbul, Turkey)

P122

Phalangeal microgeodic disease: A rare cause of painful swollen toes
Daniela Dyankova-Peeva (London, UK)

P123

Does the introduction of vertebral fracture assessment change clinical practice?
Dee Chapman (Birmingham, UK)

P124

Bisphosphonate treatment and the characteristics of femoral fractures in children with osteogenesis imperfecta
Ilkka Vuorimies (Helsinki, Finland)

P125

Vitamin D status of gastrostomy-fed children with special needs
Hayley Kuter (Manchester, UK)

P126

Low bone mass in children with epidermolysis bullosa
Katharina Ude-Schoder (Salzburg, Austria)

P127

The outcomes of a standardized approach to managing metabolic bone disease of prematurity
Peter Simm (Melbourne, Australia)

P128

Patients treated with anti-epileptic drugs have a higher rate of fracture and impaired bone and muscle development compared with controls - results from a pilot study
Peter Simm (Melbourne, Australia)

P129

Cortical area and volumetric density during pubertal growth: longitudinal analysis in black and white South African adolescent males
Simon Schoenbuchner (Cambridge, UK)

P130

Chronic recurrent multifocal osteomyelitis: the value of whole-body MRI in a series of 34 children
Benjamin Jacobs (London, UK)

P131

Association between serum 25-hydroxyvitamin D and incidence of infections in 6 - 12 year old children in a semi-rural setting in Western Maharashtra, India
Rubina Mandlik (Pune, India)

P132

Bone structural characteristics and response to bisphosphonate treatment in children with Hajdu-Cheney Syndrome
Sophia Sakka (Birmingham, UK)

P133

Fibrodysplasia Ossificans Progressiva: disabling but now treatable
Benjamin Jacobs (London, UK)

P134

Associations of 25-hydroxyvitamin D with major components of metabolic syndrome in children
Anna Challa (Ioannina, Greece)

P135

Chronic recurrent multifocal osteomyelitis in children: a new, MRI-based method of quantifying inflammation in the bone
Dionysios Alexandrou (London, UK)

P136

A modified performance-oriented mobility assessment (MPOMA-G) tool for assessing clinically relevant gait impairments and change in children with hypophosphatasia: development and validation
Dawn Phillips (Chapel Hill, USA)

P137

A slow and difficult diagnosis of a child with Chronic Recurrent Multifocal Osteomyelitis
Ananya Guha (London, UK)

P138

In-depth phenotyping including analyses of skin connective tissue in Osteogenesis Imperfecta
Meena Balasubramanian (Sheffield, UK)

P139

Abstract withdrawn

P140

Rickets in two patients pediatrics
Liliana Mejia de Beldjenna (Cali, Colombia)

P141

Persistence of musculoskeletal abnormalities in children and adolescents with inflammatory bowel disease: a prospective longitudinal study
Avril Mason (Glasgow, UK)

P142

The mechanical multi-stimulation for musculoskeletal disease
Ji Hyung Park (Wonju, Republic of Korea)

P143

Low serum vitamin D levels in children treated for hematologic oncologic diseases
Daniela Sperl (Graz, Austria)

P144

Hypomagnesaemia due to lead poisoning in the context of a heterozygous CLDN-16 mutation
Jeremy Allgrove (London, UK)

P145

Zoledronate as first line therapy for pediatric osteogenesis imperfecta?
Yvette Keemink (Utrecht, Netherlands)

P146

Hypovitaminosis D and factors associated in healthy children aged 2 to 14 years old in Mexico
Miguel Guagnelli (Mexico City, Mexico)

P147

A severe form of cerebral palsy as a risk factor for the development of secondary osteoporosis in children

Natasa Nenadov (Novi Sad, Serbia)

P148

Prevalence of vertebral fractures in survivors of childhood acute lymphoblastic leukemia

Melissa Fiscaletti (Montreal, Canada)

P149

Trabecular bone density decreased during 6 year observation in girls with Turner syndrome, but was not associated with fracture history

Ondrej Soucek (Prague, Czech Republic)

P150

Impaired bone mineral density in adult survivors of childhood cancer: a literature review

Marissa den Hoed (Utrecht, Netherlands)

P151

Do children with mild to moderate osteogenesis imperfecta (OI) with abdominal muscle weakness have a higher incidence of pars defects? A physiotherapy pilot

Emilie Hupin (London, UK)

P152

Syphilitic bone disease: a case report

Shaila Sukthankar (Manchester, UK)

P153

In-vivo high-resolution peripheral quantitative computer tomography assessment of skeletal microstructure in children with osteogenesis imperfecta

Maria Digby (Sheffield, UK)

P154

A longitudinal, prospective, long-term registry of patients with hypophosphatasia

Wolfgang Högler (Birmingham, UK)

P155

1 α Hydroxylase (CYP27B1) deficiency presenting with marked hypotonia, growth failure, hypoventilation, pulmonary hypertension and a renal proximal tubulopathy

John Barton (Bristol, UK)

P156

Children with coeliac disease on gluten free diet have normal bone mass, geometry and muscle mass

SC Wong (Glasgow, UK)

P157

Hypoxia inducible factor-1 α directly induces the expression of receptor activator of nuclear factor- κ B ligand in MLO-Y4 osteocytes

Kyunghwa Baek (Gangneung, Republic of Korea)

P158

Extreme, biomechanically-explained remodelling of biological femoral reconstructions in pediatric oncology

Fulvia Taddei (Bologna, Italy)

P159

The usefulness of bioelectrical impedance analysis (BIA) in the proper assessment of nutritional status in children and adolescents with idiopathic scoliosis (IS)

Pawel Matusik (Katowice, Poland)

P160

Prevalence of muscle deficits in survivors of childhood acute lymphoblastic leukemia
Nathalie Alos (Montreal, Canada)

P161

Unusual adverse reaction of pamidronate: thrombophlebitis
Zerrin Orbak (Erzurum, Turkey)

P162

Abstract withdrawn

P163

Whole blood gene expression analysis in idiopathic infantile hypercalcemia due to compound heterozygous mutation in the *CYP24A1* gene in an Austrian 4 month old boy and his family
Barbara Obermayer-Pietsch (Graz, Austria)

P164

Effect of vitamin D supplementation on glucose metabolism, immune function and bone turnover in children with vitamin D deficiency
Helen Mc Devitt (Glasgow, UK)

P165

Clinical masks of the tricho-rhino-phalangeal syndrome (TRPS) - based on the series of four cases from Poland
Pawel Matusik (Katowice, Poland)

P166

The role of AMPK pathway in mediating the effects of metformin on mesenchymal stem cell differentiation
Suet Ching Chen (Glasgow, UK)

P167

Muscle power and force are predictors of bone microarchitecture and strength in healthy children and adolescents measured by high resolution peripheral quantitative computed tomography and jumping mechanography
Kate Ward (Cambridge, UK)

P168

Ambulatory impairment and bone status in subjects with Rett Syndrome: a 10-year longitudinal study
Carla Caffarelli (Siena, Italy)

P169

Comparison of the response to bisphosphonate treatment between acute lymphoblastic leukaemia and osteogenesis imperfecta type I
Anitha Kumaran (Birmingham, UK)

P170

Reduced spinal volumetric trabecular bone mineral density in adolescent girls with anorexia nervosa
Sarah Ehtisham (Manchester, UK)

P171

Bone-muscle unit assessment with pQCT in children with inflammatory bowel disease following treatment with Infliximab
S C Wong (Glasgow, UK)

P172

The possibilities of bone regeneration in children
Michail Michovich (Mogilev, Belarus)

P173

Papilledema in a toddler: An atypical presentation of X-linked hypophosphatemic rickets
Halley Wasserman (Cincinnati, USA)

P174

Case report of reversible cardiomyopathy secondary to 1 alpha hydroxylase deficiency
Moira Cheung (London, UK)

P175

Effect of baseline vitamin D status on serum 25(OH)D level and body composition in breastfed infants on vitamin D supplementation
Justyna Czech-Kowalska (Warsaw, Poland)

P176

Evaluation of fibroblast growth factor 23 in patients with hypophosphataemic rickets
Julie Park (Liverpool, UK)

P177

Fractures in boys with Duchenne muscular dystrophy and their relationship to age
SC Wong (Glasgow, UK)

P178

The precision of partial image analysis of trabecular bone microarchitecture by high-resolution magnetic resonance imaging in people with childhood-onset bone abnormalities
Suet Ching Chen (Glasgow, UK)

P179

An atypical case of bone fragility and dysmorphism with an unusual and novel de novo COL1A1 mutation
Mars Skae (Manchester, UK)

P180

Rare Diseases of Bones, Joints and Vessels Study (RUDY)
Lydia Forestier-Zhang (Oxford, UK)

P181

Short stature in OI: consider alternative diagnoses
Caroline Steele (Wigan, UK)

P182

A case of moderate osteogenesis imperfecta with cerebral palsy spastic quadriplegia; an impossible combination, or is it?
Elizabeth Knowles (Sheffield, UK)

P183

Deficits of vitamin D are strongly associated with methotrexate treatment in patients with juvenile idiopathic arthritis (JIA)
Jerzy Konstantynowicz (Bialystok, Poland)

P184

A subtrochanteric femoral stress fracture following bisphosphonate treatment in an adolescent girl
Alison Boyce (Bethesda, USA)

P185

The effect of iron chelators on bone health in patients with thalassemia

Ellen Fung (Oakland, USA)

P186

Cole-Carpenter syndrome
Meena Balasubramanian (Sheffield, UK)

P187

TBS increases over time in pre-teen girls
Renaud Winzenrieth (Merignac, France)

P188

Fractures, bone mass and geometry in black and white South African children: The Birth to Twenty cohort
Kebashni Thandrayen (Johannesburg, South Africa)

P189

Two infants with the diagnosis of infantile hypophosphatasia: case report
Mehmet Emre Atabek (Konya, Turkey)

P190

Bone quality and quantity in Duchenne Muscular Dystrophy patients
Renaud Winzenrieth (Merignac, France)

P191

Evolution of bone quality and quantity in patients suffering from Duchenne Muscular Dystrophy
Renaud Winzenrieth (Merignac, France)

P192

Low bone mineral density and fractures are prevalent in children with spinal muscular atrophy
Halley Wasserman (Cincinnati, USA)

P193

Aggravated bone density decline following symptomatic osteonecrosis in children with acute lymphoblastic leukemia
Marissa den Hoed (Rotterdam, The Netherlands)

P194

Results of conservative treatment in patients with phosphate diabetes
Stepan Martsyniak (Kyiv, Ukraine)

P195

Increase of bone mineral density in patients with osteogenesis imperfecta treated with pamidronate disodium
Hamilton Cabral de Menezes Filho (São Paulo, Brazil)

P196

Early onset cataract in an infant with activating calcium sensing receptor mutation
Jeremy Allgrove (London, UK)

P197

Benign osteopetrosis associated with homozygous mutation in CLCN7
Jeremy Allgrove (London, UK)

P198

Impaired mobility and pain significantly impact the quality of life of children with X-linked hypophosphatemia (XLH)
Agnès Linglart (Le Kremlin-Bicêtre, France)

P199

LRP5-associated high bone mass disorder: novel familial mutation in LRP5 and investigation of bone mineralization density distribution (BMDD)

Katharina M Roetzer (Vienna, Austria)

P200

Relationship of lipid parameters and insulin resistance with bone health in South Korean adolescents

Do-Hoon Kim (Seoul, Republic of Korea)

P201

The results of pamidronate treatment independently and in combination with surgery in patients with osteogenesis imperfecta

Andrii Zyma (Kiev, Ukraine)